



Identification of Substance & Company

Product

Product name HayKing Granules
Other names no other names

Product codes NA

HSNO approval HSR002521

Approval description Animal Nutritional and Animal Care Products Group Standard 2017

UN number NA
DG class NA
Proper Shipping Name NA
Packaging group NA
Hazchem code NA

Uses Pasture Silage preservative/additive

Company Details

Company Biostart LTD Biostart Brands PTY Ltd

Address 216 Lake Road L1/109 Jessie St Hauraki Armidale

 Hauraki
 Armidale

 Auckland 0622
 NSW 2350

 New Zealand
 Australia

 +64 9 488 0180
 1800 359 555

 biostart.co.nz
 Biostart.com.al

Website biostart.co.nz Biostart.com.au

New Zealand Emergency Telephone Number: 0800 764 766

Australian Emergency Number: 13 11 26

2. Hazard Identification

Approval

Telephone

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002521, Animal Nutritional and Animal Care Products Group Standard 2017): The substance has been classified as hazardous according to the criteria in the Hazardous substances (Minimum Degrees of Hazard) Notice 2017.

Classes Hazard Statements

6.3A
6.4A
9.1D
H315 - Causes skin irritation.
H320 - Causes eye irritation.
H402 - Harmful to aquatic life.

SYMBOLS

WARNING



This mixture contains zeolite, which may contain crystalline silica. The following classification ONLY applies to this substance if it is in the form of a fine respirable dust in an occupational (chronic exposure) setting.:

6.7A May cause cancer

6.9A Causes damage to organs through prolonged or repeated exposure



Australian GHS Classification

Skin irritation cat 2 H315 - Causes skin irritation. Eye irritation cat. 2 H320 - Causes eye irritation. Aquatic acute cat 4 H402 - Harmful to aquatic life.

This mixture contains zeolite which may contain crystalline silica. The following classification ONLY applies to this substance if it is in the form of a fine respirable dust in an occupational (chronic exposure) setting:

Carcinogenicity, Cat 1A H350 May cause cancer through inhalation of dust.

Specific Target Organ Toxicity, Cat 1 H372 Causes damage to lungs and respiratory system through prolonged or

repeated exposure by inhalation of dusts.

Precautionary Statements

P103 - Read label before use.

P260 - Do not breathe vapours.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection*.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P332+P313 - If skin irritation occurs: Get medical advice/ attention.

P362 - Take off contaminated clothing and wash before re-use.

P314 - Get medical advice/attention if you feel unwell.

3. Composition / Information on Ingredients

Component	CAS/ Identification	Conc (%)
Zeolite, granular: contains – crystalline aluminosilicates may contains oxides including silica* and aluminium oxide	1318-02-1	>60%
Nonviable fermentation products	proprietary	10-30%
Manganese sulphate monohydrate	7785-87-7	0.1-1%
Zinc sulphate	7733-02-0	0.1-1%
Ingredients not contributing to HSNO classes	Mixture	balance

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

4. First Aid

General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid Ready access to running water is required. Accessible eyewash is required.

facilities

Exposure

Swallowed Do NOT induce vomiting. Give a glass of water to drink. Contact a doctor.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Apply continuous irrigation with water for at least 15 minutes

holding eyelids apart. If eye irritation persists: Get medical advice.

Skin contact IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: get medical

advice/attention. Take off contaminated clothing and wash before re-use.

Inhaled Generally, inhalation of vapours is unlikely to result in adverse health effects. If

coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for

transport and contact a doctor.

Advice to Doctor

Treat symptomatically

^{*} silica: may include cristobalite and quartz (crystalline silica).



Firefighting Measures

Fire and explosion hazards: Suitable extinguishing

substances:

There are no specific risks for fire/explosion for this chemical. It is non-flammable. Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or alcohol resistant foam.

Unsuitable extinguishing

substances:

Disposal

Unknown.

Products of combustion:

Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures.

Protective equipment:

Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat

and eye protection.

Hazchem code: NA

Accidental Release Measures

If greater than 10000L is stored, secondary containment and emergency plans to Containment

manage any potential spills must be in place. In all cases design storage to prevent

discharge to storm water.

Emergency procedures In the event of large spillage alert the fire brigade to location and give brief description of

hazard.

Wear protective equipment to prevent skin, eye and respiratory exposure.

Clear area of any unprotected personnel.

Sweep up the solid. Avoid creating dust. If appropriate, use a gentle water spray to wet

material to minimise dust generation.

Clean-up method UCollect and seal in properly labelled containers or drums for disposal. If contamination

of crops, sewers or waterways has occurred advise local emergency services. Sweep up and collect recoverable material into labelled containers for recycling or

salvage. This material may be suitable for approved landfill. Dispose of only in accord

with all regulations.

Precautions Wear protective equipment to prevent skin and eye contamination and the inhalation of

dusts. Work up wind or increase ventilation.

Storage & Handling

Storage Avoid storage of harmful substances with food. Store out of reach of children.

Containers should be kept closed in order to minimise contamination. Keep from

extreme heat and open flames. Avoid contact with incompatible substances as listed in

Section 10.

Handling Keep exposure to a minimum, and minimise the quantities kept in work areas. See

section 8 with regard to personal protective equipment requirements.

Exposure Controls / Personal Protective Equipment

Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace Ingredient Silicon dioxide **Exposure Stds**

Aluminium oxide Iron (II) Oxide Magnesium oxide Calcium oxide Titanium dioxide Quartz (SiO₂):

WES-TWA* see crystalline silica 10mg/m^3 5mg/m³ (as Fe) 10mg/m³ (fume) 2mg/m³ $10 mg/m^3$

WFS-STFI data unavailable data unavailable data unavailable data unavailable data unavailable data unavailable

quartz, respirable dust 0.1mg/m^3 data unavailable cristobalite, respirable dust 0.1mg/m^3 data unavailable Zinc compounds Zinc dust: 10mg/m3 data unavailable

Zinc oxide: 3mg/m³

Manganese sulphate monohydrate 1mg/m³ data unavailable



Exposure Standards - Australia

Australian **Exposure** Standards Zinc compounds Manganese sulphate monohydrate Silicon dioxide

Aluminium oxide Iron (II) Oxide Magnesium oxide Calcium oxide Titanium dioxide Quartz (SiO₂):

quartz, respirable dust cristobalite, respirable dust Zinc oxide dust: 10mg/m³ 1mg/m³

see crystalline silica 10mg/m^3

5mg/m³ (as Fe) 10mg/m³ (fume) 2mg/m³ 10mg/m^3

 0.1mg/m^3 0.1mg/m^3

Data unavailable Data unavailable data unavailable data unavailable data unavailable data unavailable

data unavailable data unavailable

data unavailable data unavailable

Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

Personal Protective Equipment

Eyes



Avoid contact with eyes. Use safety glasses and or chemical splash googles if splashes are possible. Select eye protection in accordance with AS/NZS 1337.

Skin

Respiratory

Protective gloves and clothing are not normally necessary. However, it is prudent to wear gloves when handling chemicals in bulk or for an extended period of time. Respirator is not required under normal use. Ensure adequate natural ventilation. If product is being used in confined conditions, the use of a mask or respirator may be preferred.

WES Additional Information

Not applicable

Physical & Chemical Properties

solid, granular, tan colour **Appearance** Odour mild characteristic odour

Hq ~8 Vapour pressure no data **Viscosity** no data **Boiling point** no data Volatile materials no data

Freezing / melting point solid at room temperature Solubility completely soluble

Specific gravity / density not specified Flash point no data **Danger of explosion** no data **Auto-ignition temperature** no data Upper & lower flammable limits no data Corrosiveness no data

Stability & Reactivity

Stability

Stable Conditions to be avoided

Containers should be kept closed in order to avoid contamination. Keep from extreme

heat and open flames. . Avoid the creation of dust. Strong acids and bases, oxidisers, hydrogen fluoride.

Incompatible groups **Substance Specific** none known

Incompatibility

Oxides of carbon, sulphur

Hazardous decomposition

products Hazardous reactions

Zeolites will react with hydrogen fluoride (HF) acid. Avoid contact with strong oxidsing

agents.



11. Toxicological Information

Summary

IF SWALLOWED: may cause gastrointestinal irritation.

IF IN EYES: may be irritating to the eye.

IF ON SKIN: Material may cause drying out of skin.

IF INHALED: May cause respiratory irritation. Also see chronic effects..

CHRONIC TOXICITY: The adverse health effects from respirable crystalline silica exposure-silicosis, cancer, scleroderma, tuberculosis, and nephrotoxicity- are chronic effects. This product is granular, but may become a respirable dust through sanding/grinding/milling.

Supporting Data

Chronic

Eye

Acute Oral Using LD₅₀'s for ingredients, the calculated LD₅₀ (oral, rat) for the mixture is >5,000

mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat),

Zinc sulphate 926mg/kg (mouse).

Dermal No evidence of dermal toxicity.

Inhaled The substance is not considered acutely toxic if inhaled, however there may be irritation

of the respiratory tract if dust is inhaled. Short term (acute) silicosis (see "systemic" below) can also occur with one-off exposures to extremely high levels of fine crystalline silica dust. Other short term effects include irritation, choking and difficulty breathing.

The mixture is not considered to be an eye irritant. Dust may be an eye irritant

(mechanical irritation).

Skin The mixture is considered to be a skin irritant.

Sensitisation No ingredient present at concentrations > 0.1% is considered a sensitizer.

MutagenicityNo ingredient present at concentrations > 0.1% is considered a mutagen. **Carcinogenicity**Zeolites have been classed by IARC as group 3 – cannot be evaluated as

Zeolites have been classed by IARC as group 3 – cannot be evaluated as to their carcinogenicity to humans. However, there is evidence that this material does contain quartz and cristobalite. Crystalline silica inhaled in the form of quartz or cristobalite from occupational sources is carcinogenic to humans (IARC Group 1). Crystalline Silica triggers 6.7A classification (confirmed carcinogen). The carcinogenicity of silica is related to long term (e.g., 10 years) inhalation of very fine particulate (e.g., from sand blasting or dry cutting of quartz containing substrates). Carcinogenicity of silica appears linked to development of silicosis (see systematic below) followed by complications and,

eventually lung cancer

Reproductive / Developmental Systemic

No ingredient present at concentrations > 0.1% is considered a reproductive or

developmental toxicant or have any effects on or via lactation.

The respirable fraction of the dust of this product is considered to be a target organ toxicant, because of the presence of crystalline silica at greater than 1%. Crystalline silica triggers 6.9A classification if it is in the form of a fine respirable dust in an occupational (chronic exposure) setting. This is due to the development of silicosis which can occur following exposure to extremely high levels of fine silica dust. Silicosis is a type of pneumoconiosis – a disease of the lung that causes inflammation, scar tissue, lesions and fibrosis in the lung (alveolar). Symptoms include shortness of breath, cough, fever, loss of appetite and cyanosis (bluish skin). Silicosis can occur following prolonged exposure (e.g., 10 years) to relatively high levels of fine crystalline silica dust.

Based on limited animal research, it is possible that repeated inhalation of cellulose fibre

dust may lead to inflammation and scarring of the lung.

Aggravation of existing conditions

12. Ecological Data

Summary

This mixture may be harmful towards aquatic organisms

Supporting Data

Aquatic Using EC₅₀'s for ingredients, the calculated EC₅₀ for the mixture is between 1 and 100

mg/L. Data considered includes: Zinc sulphate 98.77ug/L (96hr, Oncorhynchus mykiss), 0.00877mg/L (48hr, Daphaia byolina), 0.00469mg/L (5d. Ditylum brightwellii Diatom)

Product Name: HayKing Granules

0.09877mg/L (48hr, Daphnia hyalina), 0.02469mg/L (5d, Ditylum brightwellii Diatom).

Bioaccumulation No data
Degradability No data

Soil No evidence of soil toxicity.

Terrestrial vertebrate See acute toxicity.

Terrestrial invertebrate No evidence of toxicity towards terrestrial invertebrates.

None known.

Biocidal no data



13. Disposal Considerations

Restrictions There are no product-specific restrictions, however, local council, resource consent and

state disposal conditions may apply, including requirements of trade waste consents.

Disposal method

In New Zealand disposal of this product must comply with the Hazardous Substances
(Disposal) Notice 2017 and the requirements of the Resource Management Act for which

approval should be sought from the Regional Authority.

In Australia disposal of this product must comply with the requirements of state and local

disposal regulations.

The substance must be treated and therefore rendered non-hazardous before discharge

to the environment.

Contaminated packaging Disposal of contaminated packaging must comply with the Hazardous Substances

(Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible

reuse or recycle packaging.

14. Transport Information

There are no specific restrictions for this product (not a dangerous good).

UN number:NAProper shipping name:NAClass(es)NAPacking group:NAPrecautions:NAHazchem code:NA

15. Regulatory Information

NZ regulations

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002521, Animal Nutritional and Animal Care Products Group Standard 2017.

All ingredients appear on the NZIoC.

Specific Controls

Key workplace requirements are:

SDS To be available within 10 minutes in workplaces storing any quantity.

Inventory An inventory of all hazardous substances must be prepared and maintained.

Packaging All hazardous substances should be appropriately packaged including

substances that have been decanted, transferred or manufactured for own

use or have been supplied

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2017.

Emergency plan Required if > 10000L is stored.

Certified handler Not required.

Tracking Not required.

Bunding & secondary containment Required if > 10000L is stored.

Signage Required if > 10000L is stored.

Location compliance certificate Not required.
Flammable zone Not required.
Fire extinguisher Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.



Australian regulations

Standard for the Uniform Scheduling

of Drugs and Poisons (SUSDP) Applicable prohibitions and

notifications/licensing requirements **Agricultural and Veterinary**

Chemicals Act

Listing in the Australian Inventory of **Chemical Substances (AICS)**

Not scheduled

Not listed

Not listed

Magnesium sulphate, heptahydrate - IMAP - Tier I - Human Health Manganous sulphate, monohydrate - IMAP - Tier II - Human Health

Zinc sulphate - IMAP - Tier II - Human Health Zeolites - IMAP - Tier I - Human Health Silicon dioxide - IMAP - Tier II - Human Health Crystalline silica quartz - IMAP - Tier II - Human Health

Additional information Not applicable

16. **Other Information**

Abbreviations

Approval HSR002521, Animal Nutritional and Animal Care Products Group Standard **Approval Code**

2017 Controls, EPA. www.epa.govt.nz Australian Inventory of Chemical Substances

AICS CAS Number Unique Chemical Abstracts Service Registry Number

Ceiling Exposure Value: The maximum airborne concentration of a biological or chemical Ceiling

agent to which a worker may be exposed at any time.

Controls Matrix List of default controls linking regulation numbers to Matrix code (e.g. T1, I16). EC₅₀

Ecotoxic Concentration 50% - concentration in water which is fatal to 50% of a test

population (e.g. daphnia, fish species)

Exposure Standard - The airborne concentration of a biological or chemical agent to ES

which a worker may be exposed in a work day.

EPA Environmental Protection Authority (New Zealand)

Globally Harmonised System of Classification and Labelling of Chemicals **GHS**

HAZCHEM Code Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

HSNO Hazardous Substances and New Organisms (Act and Regulations)

IARC International Agency for Research on Cancer

IMAP Inventory Multi-tiered Assessment and Prioritisation (NICNAS Australia)

LEL/UEL Lower Explosive Limit/ Upper Explosive Limit

Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats). LD_{50}

LC₅₀ Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population

(usually rats)

MSDS (SDS) Material Safety Data Sheet (or Safety Data Sheet)

NICNAS National Industrial Chemicals Notification and Assessment Scheme

NZIoC New Zealand Inventory of Chemicals

Short Term Exposure Limit - The maximum airborne concentration of a chemical or **STEL**

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

TWA Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours)

UN Number United Nations Number

WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

> agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

using procedures that gather air samples in the worker's breathing zone.



References

Unless otherwise stated comes from the EPA HSNO chemical classification information

database (CCID).

Controls EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances)

Regulations 2017, www.legislation.govt.nz

WES The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available

on their web site – www.worksafe.govt.nz.

ES Workplace Exposure standards for airborne contaminants – Safework Australia.

Other References: Suppliers SDS, EU ECHA, ingredients SDS's, ChemIDplus

Review

DateReason for reviewJune 2019Not applicable – new SDS

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely HSNO classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 9 940 30 80.

