### Organic Hay King Safety Data Sheet

1800 359 555

# biostart.

	1. Identification of Substance & Con	npany
Product		
Product name Other names Product codes HSNO approval Approval description	Organic Hay King no other names NA HSR002521 Animal Nutritional and Animal Ca	re Products Group Standard 2017
UN number DG class Proper Shipping Name Packaging group Hazchem code Uses	NA NA NA NA Preservation of Hay	
Company Details		
Company Address	<b>Biostart LTD</b> 216 Lake Road Hauraki Auckland 0622 New Zealand	<b>Biostart Brands PTY Ltd</b> L1/109 Jessie St Armidale NSW 2350 Australia

Telephone Website

### biostart.co.nz Biostart.com.au New Zealand Emergency Telephone Number: 0800 764 766 Australian Emergency Number: 13 11 26

+64 9 488 0180

#### Hazard Identification

Approval

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002521, Animal Nutritional and Animal Care Products Group Standard 2017): The substance has been classified as hazardous according to the criteria in the Hazardous substances (Minimum Degrees of Hazard) Notice 2017. Classes Hazard Statements

6.3A	H315 - Causes skin irritation.
6.4A	H320 - Causes eye irritation.
6.9B	H373 - May cause damage to organs through prolonged or repeated exposure.
9.1D	H402 - Harmful to aquatic life.

SYMBOLS

# WARNING



Australian GHS Classification Skin irritation cat 2 Eye irritation cat. 2 STOT RE cat 2 Aquatic acute cat 4

H315 - Causes skin irritation.

- H320 Causes eye irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.

H402 - Harmful to aquatic life.



**Precautionary Statements** 

P103 - Read label before use.

P260 - Do not breathe vapours.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection\*.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P314 - Get medical advice/attention if you feel unwell.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P332+P313 - If skin irritation occurs: Get medical advice/ attention.

P362 - Take off contaminated clothing and wash before re-use.

#### 3. Composition / Information on Ingredients

Component	CAS/ Identification	Conc (%)
Nonviable fermentation products	proprietary	>50%
Manganese sulphate monohydrate	7785-87-7	1-10%
Zinc sulphate	7733-02-0	1-10%
Acetic acid	64-19-7	1-10%
Ingredients not contributing to HSNO classes	Mixture	balance

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

4

#### First Aid

General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid facilities	Ready access to running water is required. Accessible eyewash is required.
Exposure	
Swallowed	Do NOT induce vomiting. Give a glass of water to drink. Contact a doctor.
Eye contact	If product gets in eyes, wash material from them with running water for several minutes. If symptoms persist, seek medical advice.
Skin contact	IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before re-use.
Inhaled	Generally, inhalation of vapours is unlikely to result in adverse health effects. If coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for transport and contact a doctor.
Advice to Doctor	

Treat symptomatically

	5. Firefighting Measures
Fire and explosion hazards:	There are no specific risks for fire/explosion for this chemical. It is non-flammable.
Suitable extinguishing	Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or
substances:	alcohol resistant foam.
Unsuitable extinguishing	Unknown.
substances:	
Products of combustion:	Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water.
	May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures.
Protective equipment:	Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat and eye protection.
Hazchem code:	NA



	6. Accidental Release	e Measures	
Containment		econdary containment and emergency plans to e in place. In all cases design storage to prevent	
Emergency proced		e brigade to location and give brief description of	
	hazard.		
	eye and respiratory exposure. Clear sand, earth or vermiculite. Prevent b	to do so. Wear protective equipment to prevent sk ar area of any unprotected personnel. Contain usir by whatever means possible any spillage from ourses. (If this occurs contact your regional counc	ng
Clean-up method	Use absorbent (soil, sand or other in	inert material). Collect and seal in properly labelle f contamination of crops, sewers or waterways ha ervices.	
Disposal	Mop up and collect recoverable mat Recycle containers wherever possib landfill. Dispose of only in accord wi	aterial into labelled containers for recycling or salva ble. This material may be suitable for approved vith all regulations.	age.
Precautions	Wear protective equipment to preve vapours. Work up wind or increase	ent skin and eye contamination and the inhalation	of
	7. Storage & Har	ndling	
Storage	Containers should be kept closed in extreme heat and open flames. Avo	es with food. Store out of reach of children. n order to minimise contamination. Keep from pid contact with incompatible substances as listed	in
Handling	Section 10. Keep exposure to a minimum, and r section 8 with regard to personal pro	minimise the quantities kept in work areas. See rotective equipment requirements.	
	8. Exposure Controls / Personal	Protective Equipment	
	<b>re Standards</b> re standard (WES) has not been established by Wor e particulates and 10mg/m <sup>3</sup> for inhalable particulates		
NZ Workplace		WES-TWA* WES-STEL	
Exposure Stds	Z	Zinc dust: 10mg/m <sup>3</sup> Data unavailable Zinc oxide: 3mg/m <sup>3</sup> Data unavailable I mg/m <sup>3</sup>	
		10ppm, 25mg/m <sup>3</sup> 15ppm, 37mg/m	3
Exposure Standard			
Australian Exposure	Manganese sulphate monohydrate 1	Zinc oxide dust: 10mg/m <sup>3</sup> Data unavailable Img/m <sup>3</sup> Data unavailable	9
Standards	Acetic acid 1	10ppm, 25mg/m <sup>3</sup> 15ppm, 37mg/m	5
Engineering Contro	ols	aus substances will be controlled to a lovel as far	

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation. **Personal Protective Equipment** 

Eyes



Avoid contact with eyes. Use safety glasses and or chemical splash goggles if splashes are possible. Select eye protection in accordance with AS/NZS 1337.

Skin

If discomfort is felt (e.g., if pre-existing conditions exist, such as dermatitis, cuts or sensitive skin), gloves may be helpful. If you suffer from dermatitis type skin conditions, use gloves. Nitrile gloves are recommended. Protective gloves or suitably resistant material must comply with AS 2161. Replace frequently. Gloves should be checked for tears or holes before use.

# Organic Hay King Safety Data Sheet



#### Respiratory

Respirator is not required under normal use. Ensure adequate natural ventilation. If product is being used in confined conditions, the use of a mask or respirator may be preferred.

WES Additional Information Not applicable

		9. Physical & Chemical Properties
Appearan	се	brown liquid
Odour		characteristic odour
pН		4.5-4.9
Vapour pr	ressure	no data
Viscosity		no data
Boiling po	pint	100°C
Volatile m		no data
Freezing /	melting point	no data
Solubility		completely soluble in water
	ravity / density	1.06-1.08
Flash poir		no data
	explosion	no data
	tion temperature	no data
	ower flammable limits	no data
Corrosive	ness	non corrosive
		10. Stability & Reactivity
Stability		Stable
	s to be avoided	Containers should be kept closed in order to avoid contamination. Keep from extreme
		heat and open flames.
	ible groups	Strong acids and bases, oxidisers.
Substanc		none known
Incompati		
	s decomposition	Oxides of carbon, sulphur
products Hazardou	s reactions	none known
		11. Toxicological Information
Summary		Ŭ
IF SWALL	OWED: may cause gast	rointestinal irritation.
IF SWALL	OWED: may cause gast S: may be irritating to the	rointestinal irritation. e eye.
IF SWALL IF IN EYES IF ON SKI	OWED: may cause gast S: may be irritating to the N: may be irritating the s	rointestinal irritation. e eye.
IF SWALL IF IN EYE IF ON SKI IF INHALE	OWED: may cause gast S: may be irritating to the N: may be irritating the s ED: no effect known.	rointestinal irritation. e eye. kin.
IF SWALL IF IN EYES IF ON SKI IF INHALE CHRONIC	OWED: may cause gast S: may be irritating to the N: may be irritating the s D: no effect known. TOXICITY: repeated or	rointestinal irritation. e eye.
IF SWALL IF IN EYES IF ON SKI IF INHALE CHRONIC nervous sy	OWED: may cause gast S: may be irritating to the N: may be irritating the s D: no effect known. TOXICITY: repeated or ystem.	rointestinal irritation. e eye. kin.
IF SWALL IF IN EYES IF ON SKI IF INHALE CHRONIC nervous sy Supportin	OWED: may cause gastr S: may be irritating to the N: may be irritating the s ED: no effect known. TOXICITY: repeated or ystem. g Data	rointestinal irritation. e eye. kin. prolonged exposure to manganese sulphate could result in effects to the lungs and central
IF SWALL IF IN EYES IF ON SKI IF INHALE CHRONIC nervous sy	OWED: may cause gast S: may be irritating to the N: may be irritating the s D: no effect known. TOXICITY: repeated or ystem.	rointestinal irritation. e eye. kin. prolonged exposure to manganese sulphate could result in effects to the lungs and central Using LD <sub>50</sub> 's for ingredients, the calculated LD <sub>50</sub> (oral, rat) for the mixture is >5,000
IF SWALL IF IN EYES IF ON SKI IF INHALE CHRONIC nervous sy Supportin	OWED: may cause gastr S: may be irritating to the N: may be irritating the s ED: no effect known. TOXICITY: repeated or ystem. g Data	rointestinal irritation. e eye. kin. prolonged exposure to manganese sulphate could result in effects to the lungs and central Using LD <sub>50</sub> 's for ingredients, the calculated LD <sub>50</sub> (oral, rat) for the mixture is >5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat),
IF SWALL IF IN EYES IF ON SKI IF INHALE CHRONIC nervous sy Supportin	OWED: may cause gasti S: may be irritating to the N: may be irritating the s ED: no effect known. TOXICITY: repeated or ystem. In Data Oral	<ul> <li>rointestinal irritation.</li> <li>e eye.</li> <li>kin.</li> <li>prolonged exposure to manganese sulphate could result in effects to the lungs and central</li> <li>Using LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (oral, rat) for the mixture is &gt;5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat), Zinc sulphate 926mg/kg (mouse), acetic acid: 600 mg/kg (rabbit).</li> </ul>
IF SWALL IF IN EYES IF ON SKI IF INHALE CHRONIC nervous sy Supportin	OWED: may cause gastr S: may be irritating to the N: may be irritating the s ED: no effect known. TOXICITY: repeated or ystem. g Data	<ul> <li>rointestinal irritation.</li> <li>e eye.</li> <li>kin.</li> <li>prolonged exposure to manganese sulphate could result in effects to the lungs and central</li> <li>Using LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (oral, rat) for the mixture is &gt;5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat), Zinc sulphate 926mg/kg (mouse), acetic acid: 600 mg/kg (rabbit). No evidence of dermal toxicity.</li> </ul>
IF SWALL IF IN EYES IF ON SKI IF INHALE CHRONIC nervous sy Supportin	OWED: may cause gasti S: may be irritating to the N: may be irritating the s ED: no effect known. TOXICITY: repeated or ystem. <b>g Data</b> <b>Oral</b> <b>Dermal</b> <b>Inhaled</b>	<ul> <li>rointestinal irritation.</li> <li>e eye.</li> <li>kin.</li> <li>prolonged exposure to manganese sulphate could result in effects to the lungs and central</li> <li>Using LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (oral, rat) for the mixture is &gt;5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat), Zinc sulphate 926mg/kg (mouse), acetic acid: 600 mg/kg (rabbit).</li> <li>No evidence of dermal toxicity.</li> <li>No evidence of inhalation toxicity.</li> </ul>
IF SWALL IF IN EYES IF ON SKI IF INHALE CHRONIC nervous sy Supportin	OWED: may cause gasti S: may be irritating to the N: may be irritating the s ED: no effect known. TOXICITY: repeated or ystem. Ig Data Oral Dermal Inhaled Eye Skin	<ul> <li>rointestinal irritation.</li> <li>e eye.</li> <li>kin.</li> <li>prolonged exposure to manganese sulphate could result in effects to the lungs and central</li> <li>Using LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (oral, rat) for the mixture is &gt;5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat), Zinc sulphate 926mg/kg (mouse), acetic acid: 600 mg/kg (rabbit). No evidence of dermal toxicity.</li> </ul>
IF SWALL IF IN EYES IF ON SKI IF INHALE CHRONIC nervous sy Supportin	OWED: may cause gasti S: may be irritating to the N: may be irritating the s ED: no effect known. TOXICITY: repeated or ystem. <b>g Data</b> <b>Oral</b> <b>Dermal</b> <b>Inhaled</b> <b>Eye</b> <b>Skin</b> <b>Sensitisation</b>	<ul> <li>rointestinal irritation.</li> <li>e eye.</li> <li>kin.</li> <li>prolonged exposure to manganese sulphate could result in effects to the lungs and central</li> <li>Using LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (oral, rat) for the mixture is &gt;5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat), Zinc sulphate 926mg/kg (mouse), acetic acid: 600 mg/kg (rabbit).</li> <li>No evidence of dermal toxicity.</li> <li>No evidence of inhalation toxicity.</li> <li>The mixture is considered to be an eye irritant (acetic acid)</li> <li>The mixture is not considered to be a skin irritant (acetic acid).</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a sensitizer.</li> </ul>
IF SWALL IF IN EYES IF ON SKI IF INHALE CHRONIC nervous sy Supportin Acute	OWED: may cause gasti S: may be irritating to the N: may be irritating the s ED: no effect known. TOXICITY: repeated or ystem. <b>g Data</b> Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity	<ul> <li>rointestinal irritation.</li> <li>e eye.</li> <li>kin.</li> <li>prolonged exposure to manganese sulphate could result in effects to the lungs and central</li> <li>Using LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (oral, rat) for the mixture is &gt;5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat), Zinc sulphate 926mg/kg (mouse), acetic acid: 600 mg/kg (rabbit).</li> <li>No evidence of dermal toxicity.</li> <li>No evidence of inhalation toxicity.</li> <li>The mixture is considered to be an eye irritant (acetic acid)</li> <li>The mixture is not considered to be a skin irritant (acetic acid).</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a mutagen.</li> </ul>
IF SWALL IF IN EYES IF ON SKI IF INHALE CHRONIC nervous sy Supportin Acute	OWED: may cause gasts S: may be irritating to the N: may be irritating the s ED: no effect known. TOXICITY: repeated or ystem. <b>g Data</b> <b>Oral</b> <b>Dermal</b> <b>Inhaled</b> <b>Eye</b> <b>Skin</b> <b>Sensitisation</b> <b>Mutagenicity</b> <b>Carcinogenicity</b>	<ul> <li>rointestinal irritation.</li> <li>e eye.</li> <li>kin.</li> <li>prolonged exposure to manganese sulphate could result in effects to the lungs and central</li> <li>Using LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (oral, rat) for the mixture is &gt;5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat), Zinc sulphate 926mg/kg (mouse), acetic acid: 600 mg/kg (rabbit).</li> <li>No evidence of dermal toxicity.</li> <li>No evidence of inhalation toxicity.</li> <li>The mixture is considered to be an eye irritant (acetic acid)</li> <li>The mixture is not considered to be a skin irritant (acetic acid).</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a mutagen.</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a carcinogen.</li> </ul>
IF SWALL IF IN EYES IF ON SKI IF INHALE CHRONIC nervous sy Supportin Acute	OWED: may cause gasts S: may be irritating to the N: may be irritating the s ED: no effect known. TOXICITY: repeated or ystem. <b>g Data</b> Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive /	<ul> <li>rointestinal irritation.</li> <li>e eye.</li> <li>kin.</li> <li>prolonged exposure to manganese sulphate could result in effects to the lungs and central</li> <li>Using LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (oral, rat) for the mixture is &gt;5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat), Zinc sulphate 926mg/kg (mouse), acetic acid: 600 mg/kg (rabbit).</li> <li>No evidence of dermal toxicity.</li> <li>No evidence of inhalation toxicity.</li> <li>The mixture is considered to be an eye irritant (acetic acid)</li> <li>The mixture is not considered to be a skin irritant (acetic acid).</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a mutagen.</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a carcinogen.</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a reproductive or</li> </ul>
IF SWALL IF IN EYES IF ON SKI IF INHALE CHRONIC nervous sy Supportin Acute	OWED: may cause gasts S: may be irritating to the N: may be irritating the s ED: no effect known. TOXICITY: repeated or ystem. <b>g Data</b> Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive / Developmental	<ul> <li>vointestinal irritation.</li> <li>e eye.</li> <li>kin.</li> <li>prolonged exposure to manganese sulphate could result in effects to the lungs and central</li> <li>Using LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (oral, rat) for the mixture is &gt;5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat), Zinc sulphate 926mg/kg (mouse), acetic acid: 600 mg/kg (rabbit).</li> <li>No evidence of dermal toxicity.</li> <li>No evidence of inhalation toxicity.</li> <li>The mixture is considered to be an eye irritant (acetic acid)</li> <li>The mixture is not considered to be a skin irritant (acetic acid).</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a sensitizer.</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation.</li> </ul>
IF SWALL IF IN EYES IF ON SKI IF INHALE CHRONIC nervous sy Supportin Acute	OWED: may cause gasts S: may be irritating to the N: may be irritating the s ED: no effect known. TOXICITY: repeated or ystem. <b>g Data</b> Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive /	<ul> <li>vointestinal irritation.</li> <li>e eye.</li> <li>kin.</li> <li>prolonged exposure to manganese sulphate could result in effects to the lungs and central</li> <li>Using LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (oral, rat) for the mixture is &gt;5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat), Zinc sulphate 926mg/kg (mouse), acetic acid: 600 mg/kg (rabbit).</li> <li>No evidence of dermal toxicity.</li> <li>No evidence of inhalation toxicity.</li> <li>The mixture is considered to be an eye irritant (acetic acid)</li> <li>The mixture is not considered to be a skin irritant (acetic acid).</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a sensitizer.</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a mutagen.</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation.</li> <li>The mixture is considered to be a suspected target organ toxicant. Repeated or</li> </ul>
IF SWALL IF IN EYES IF ON SKI IF INHALE CHRONIC nervous sy Supportin Acute	OWED: may cause gasts S: may be irritating to the N: may be irritating the s ED: no effect known. TOXICITY: repeated or ystem. <b>g Data</b> Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive / Developmental	<ul> <li>ointestinal irritation.</li> <li>e eye.</li> <li>kin.</li> <li>prolonged exposure to manganese sulphate could result in effects to the lungs and central</li> <li>Using LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (oral, rat) for the mixture is &gt;5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat), Zinc sulphate 926mg/kg (mouse), acetic acid: 600 mg/kg (rabbit).</li> <li>No evidence of dermal toxicity.</li> <li>No evidence of inhalation toxicity.</li> <li>The mixture is considered to be an eye irritant (acetic acid)</li> <li>The mixture is considered to be a neye irritant (acetic acid).</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a sensitizer.</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a mutagen.</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation.</li> <li>The mixture is considered to be a suspected target organ toxicant. Repeated or prolonged exposure to manganese sulphate could result in effects to the lungs and</li> </ul>
IF SWALL IF IN EYES IF ON SKI IF INHALE CHRONIC nervous sy Supportin Acute	OWED: may cause gasts S: may be irritating to the N: may be irritating the s ED: no effect known. TOXICITY: repeated or ystem. <b>g Data</b> Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive / Developmental Systemic	<ul> <li>ointestinal irritation.</li> <li>e eye.</li> <li>kin.</li> <li>prolonged exposure to manganese sulphate could result in effects to the lungs and central</li> <li>Using LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (oral, rat) for the mixture is &gt;5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat), Zinc sulphate 926mg/kg (mouse), acetic acid: 600 mg/kg (rabbit).</li> <li>No evidence of dermal toxicity.</li> <li>No evidence of inhalation toxicity.</li> <li>The mixture is considered to be an eye irritant (acetic acid)</li> <li>The mixture is considered to be a skin irritant (acetic acid).</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a sensitizer.</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a carcinogen.</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a reproductive or developmental toxicat or have any effects on or via lactation.</li> <li>The mixture is considered to be a suspected target organ toxicant. Repeated or prolonged exposure to manganese sulphate could result in effects to the lungs and central nervous system.</li> </ul>
IF SWALL IF IN EYES IF ON SKI IF INHALE CHRONIC nervous sy Supportin Acute	OWED: may cause gasts S: may be irritating to the N: may be irritating the s ED: no effect known. TOXICITY: repeated or ystem. <b>g Data</b> Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive / Developmental	<ul> <li>ointestinal irritation.</li> <li>e eye.</li> <li>kin.</li> <li>prolonged exposure to manganese sulphate could result in effects to the lungs and central</li> <li>Using LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (oral, rat) for the mixture is &gt;5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat), Zinc sulphate 926mg/kg (mouse), acetic acid: 600 mg/kg (rabbit).</li> <li>No evidence of dermal toxicity.</li> <li>No evidence of inhalation toxicity.</li> <li>The mixture is considered to be an eye irritant (acetic acid)</li> <li>The mixture is considered to be a skin irritant (acetic acid).</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a sensitizer.</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a mutagen.</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation.</li> <li>The mixture is considered to be a suspected target organ toxicant. Repeated or prolonged exposure to manganese sulphate could result in effects to the lungs and</li> </ul>

# biostart

		12. Ecological Data	
Summerse and		12. Ecological Data	
Summary This mixture may b	e harmful towards aq	uatic organisms	
Supporting Data	o namua tomardo aq	date erganeme	
Aquatic Bioaccumulation Degradability Soil Terrestrial vertebr Terrestrial inverte Biocidal	mg/ 98.7 0.02 (Cru No o No o rate See brate Ni e	L. Data considered includes: Nonviable fe 77ug/L (96hr, Oncorhynchus mykiss), 0.09	), acetic acid: 32 mg/l (48 hr) Artemia salina
		13. Disposal Considerations	
Restrictions	The		wever, local council, resource consent and
Disposal method	stat In N (Dis app In A	e disposal conditions may apply, including lew Zealand disposal of this product must posal) Notice 2017 and the requirements roval should be sought from the Regional	g requirements of trade waste consents. t comply with the Hazardous Substances of the Resource Management Act for which
Contaminated pac	The to th C <b>kaging</b> Disp (Dis Con requ	substance must be treated and therefore ne environment. posal of contaminated packaging must co posal) Notice 2017 clause 12. Ensure that taining any substance and is disposed in	at the package is rendered incapable of
		14. Transport Information	
There are no specif	fic restrictions for this	product (not a dangerous good).	
UN number: Class(es) Precautions:	NA NA NA	Proper shipping name: Packing group: Hazchem code:	NA NA NA
		15. Regulatory Information	
NZ regulations This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002521, Animal Nutritional and Animal Care Products Group Standard 2017. All ingredients appear on the NZIoC. Specific Controls			
Key workplace red SDS Inventory Packaging	quirements are:	All hazardous substances should be substances that have been decante	ances must be prepared and maintained.
Labelling Emergency plan		use or have been supplied Must comply with the Hazardous Su Required if > 10000L is stored.	ubstances (Labelling) Notice 2017.
Certified handler		Not required.	
Tracking		Not required.	
Bunding & second	ary containment	Required if > 10000L is stored.	
Signage Location compliar	nce certificate	Required if > 10000L is stored. Not required.	



Flammable zone Fire extinguisher Not required.

Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location. Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

Australian regulations

Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) Applicable prohibitions and notifications/licensing requirements Agricultural and Veterinary Chemicals Act Listing in the Australian Inventory of Chemical Substances (AICS)	Not scheduled Not listed Not listed Magnesium sulfate, heptahydrate - IMAP - Tier I - Human Health Manganous sulfate, monohydrate - IMAP - Tier II - Human Health Acetic acid - IMAP - Tier II - Human Health
Additional information	Not applicable

	16. Other Information
Abbreviations	
Approval Code	Approval HSR002521, Animal Nutritional and Animal Care Products Group Standard
••	2017 Controls, EPA. www.epa.govt.nz
	Australian Inventory of Chemical Substances
CAS Number Ceiling	Unique Chemical Abstracts Service Registry Number
Cennig	Ceiling Exposure Value: The maximum airborne concentration of a biological or chemica agent to which a worker may be exposed at any time.
Controls Matrix	List of default controls linking regulation numbers to Matrix code (e.g. T1, 116).
EC <sub>50</sub>	Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test
	population (e.g. daphnia, fish species)
ES	Exposure Standard - The airborne concentration of a biological or chemical agent to
	which a worker may be exposed in a work day.
EPA	Environmental Protection Authority (New Zealand)
GHS	Globally Harmonised System of Classification and Labelling of Chemicals
HAZCHEM Code	Emergency action code of numbers and letters that provide information to emergency
HENO	services, especially fire fighters
HSNO IARC	Hazardous Substances and New Organisms (Act and Regulations) International Agency for Research on Cancer
	Lower Explosive Limit/ Upper Explosive Limit
	Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).
LC <sub>50</sub>	Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population
	(usually rats)
MSDS (SDS)	Material Safety Data Sheet (or Safety Data Sheet)
NICNAS	National Industrial Chemicals Notification and Assessment Scheme
NZIOC	New Zealand Inventory of Chemicals
STEL	Short Term Exposure Limit - The maximum airborne concentration of a chemical or
	biological agent to which a worker may be exposed in any 15 minute period, provided th
TWA	TWA is not exceeded Time Weighted Average – generally referred to WES averaged over typical work day
IWA	(usually 8 hours)
UN Number	United Nations Number
WES	Workplace Exposure Standard - The airborne concentration of a biological or chemical
	agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a
	week). The WES relates to exposure that has been measured by personal monitoring
	using procedures that gather air samples in the worker's breathing zone.



## Organic Hay King Safety Data Sheet

References	
Data	Unless otherwise stated comes from the EPA HSNO chemical classification information database (CCID).
Controls	EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances) Regulations 2017, www.legislation.govt.nz
WES	The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available on their web site – www.worksafe.govt.nz.
ES	Workplace Exposure standards for airborne contaminants – Safework Australia.
Other References:	Suppliers SDS, EU ECHA, ingredients SDS's, ChemIDplus
Review	
Date July 2019	Reason for review Not applicable – new SDS

#### Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely HSNO classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 9 940 30 80.

