**Biostart Brands PTY Ltd** 

L1/109 Jessie St

Armidale

Australia

NSW 2350

1800 359 555

### Identification of Substance & Company

Product	
---------	--

Product name Other names Product codes HSNO approval Approval description UN number DG class Proper Shipping Name Packaging group Hazchem code Uses HayKing Liquid no other names NA HSR002521 Animal Nutritional and Animal Care Products Group Standard 2020 NA NA NA NA NA Pasture Silage preservative/additive

#### **Company Details**

Company Address

Telephone Website

### New Zealand Emergency Telephone Number: 0800 764 766 Australian Emergency Number: 13 11 26

**Biostart LTD** 

New Zealand

0800 116 229

Kerepehi 3671

17 Reta Crescent

Hazard Identification

#### Approval

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002521, Animal Nutritional and Animal Care Products Group Standard 2020): The substance has been classified as hazardous according to the criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

Classes	Hazard Statements
Eye irritation cat. 2	H320 - Causes eye irritation.
STOT RE cat 2	H373 - May cause damage to organs through prolonged or repeated exposure.

SYMBOLS



Australian GHS Classification

Eye irritation cat. 2 STOT RE cat 2 H320 - Causes eye irritation. H373 - May cause damage to organs through prolonged or repeated exposure.

**Precautionary Statements** 

- P260 Do not breathe vapours.
- P264 Wash hands thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection.

Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P314 - Get medical advice/attention if you feel unwell.
Storage	No storage statement
Disposal	P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

Component	CAS/ Identification	Conc (%)
Nonviable fermentation products	proprietary	>50%
Manganese sulphate monohydrate	7785-87-7	1-10%
Zinc sulphate	7733-02-0	1-10%
Ingredients not contributing to GHS 7 classes Mixture balance		

4. First Aid

#### **General Information**

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid facilities	Ready access to running water is required. Accessible eyewash is required.
Exposure	
Swallowed Eye contact	Do NOT induce vomiting. Give a glass of water to drink. Contact a doctor. If product gets in eyes, wash material from them with running water for several minutes. If symptoms persist, seek medical advice.
Skin contact Inhaled	This product is non-irritating to skin. No further measures should be required. Generally, inhalation of vapours is unlikely to result in adverse health effects. If coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for transport and contact a doctor.

Advice to Doctor

Treat symptomatically

	5. Firefighting Measures
Fire and explosion hazards: Suitable extinguishing substances: Unsuitable extinguishing substances:	There are no specific risks for fire/explosion for this chemical. It is non-flammable. Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or alcohol resistant foam. Unknown.
Products of combustion:	Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures.
Protective equipment:	Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat and eye protection.
Hazchem code:	NA
	6. Accidental Release Measures
Containment	If greater than 10000L is stored, secondary containment and emergency plans to manage any potential spills must be in place. In all cases design storage to prevent discharge to storm water.
Emergency procedures	In the event of spillage alert the fire brigade to location and give brief description of hazard. Stop the source of the leak, if safe to do so. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Prevent by whatever means possible any spillage from entering drains, sewers, or water courses. (If this occurs contact your regional council immediately).
Clean-up method	Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.
Page 2 of 7	

**HayKing Liquid** 

Safety Data Sheet

Disposal Precautions		Mop up and collect recoverable material into labelled containers for recycling or salvage. Recycle containers wherever possible. This material may be suitable for approved landfill. Dispose of only in accord with all regulations. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation.
7. Storage & Handling		
Storage		Avoid storage of harmful substances with food. Store out of reach of children. Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in Section 10.
Handling		Keep exposure to a minimum, and minimise the quantities kept in work areas. See section 8 with regard to personal protective equipment requirements.
	8	Exposure Controls / Personal Protective Equipment

### Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m<sup>3</sup> for respirable particulates and 10mg/m<sup>3</sup> for inhalable particulates when limits have not otherwise been established.

NZ Workplace Exposure Stds	Ingredient Zinc compounds	WES-TWA* Zinc dust: 10mg/m <sup>3</sup> Zinc oxide: 2mg/m <sup>3</sup> Zinc oxide : 0.1mg/m <sup>3</sup>	WES-STEL	
	Manganese sulphate monohydrate	(respirable) 0.2mg/m <sup>3</sup> 0.02m <sup>3</sup> (respirable)	-	
Exposure Standard	s - Australia			
Australian Exposure Standards	Zinc compounds Manganese sulphate monohydrate	Zinc oxide dust: 10mg/m <sup>3</sup> 1mg/m <sup>3</sup>	-	

### **Engineering Controls**

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

### **Personal Protective Equipment**

Personal Protective Equipment (PPE) should not be used as the primary means of General exposure protection, except in the event of an accident or emergency situation or where all other means of protection have proven to inadequate. Clean PPE after use or dispose of as appropriate. Store PPE for re-use in a clean place. Regular training on the correct use of PPE should be provided. In particular the correct fitting and use of respirators and where applicable the cleaning of respirators should be undertaken. Eyes Avoid contact with eyes. Use safety glasses and or chemical splash goggles if splashes are possible. Select eye protection in accordance with AS/NZS 1337. Skin Protective gloves and clothing are not normally necessary. However, it is prudent to wear gloves when handling chemicals in bulk or for an extended period of time. Respiratory Respirator is not required under normal use. Ensure adequate natural ventilation. If product is being used in confined conditions, the use of a mask or respirator may be preferred. WES Additional Information Not applicable

		9. Physical & Chemical Properties
Appearar	nce	Brown liquid
Odour		mild characteristic odour
Odour Threshold		no data
pH Freezing/	molting point	4.4-4.8
Boiling P	melting point	liquid at room temperature as for water (100°C)
Flashpoir		no data
Flammab	ility	no data
	ower flammable limits	no data
Vapour p Vapour d		no data
	gravity/density	no data 1.01-1.02
Solubility		completely soluble
	coefficient	no data
	tion temperature	no data
	sition temperature	no data
Viscosity Particle (	Characteristics	no data no data
Faiticle		
		10. Stability & Reactivity
Stability		Stable
Conditior	ns to be avoided	Containers should be kept closed in order to avoid contamination. Keep from extreme
Incompat	ible groupe	heat and open flames. Strong acids and bases, oxidisers.
	tible groups ce Specific	none known
Incompat		
	is decomposition	Oxides of carbon, sulphur
products		
Hazardou	is reactions	none known
Hazardou	is reactions	none known 11. Toxicological Information
Summary	1	11. Toxicological Information
Summary IF SWALL	/ .OWED: may cause gast	11. Toxicological Information
Summary IF SWALL IF IN EYE	/ LOWED: may cause gast S: may be irritating to th	11. Toxicological Information
Summary IF SWALL IF IN EYE IF ON SK	/ .OWED: may cause gast	11. Toxicological Information
Summary IF SWALL IF IN EYE IF ON SK IF INHALE	/ LOWED: may cause gast S: may be irritating to th IN: no effect known. ED: no effect known.	11. Toxicological Information
Summary IF SWALL IF IN EYE IF ON SK IF INHALE	/ .OWED: may cause gast S: may be irritating to th IN: no effect known. ED: no effect known. C TOXICITY: repeated or	11.       Toxicological Information         rointestinal irritation.       e eye.
Summary IF SWALL IF IN EYE IF ON SK IF INHALE CHRONIC	OWED: may cause gast S: may be irritating to th IN: no effect known. ED: no effect known. C TOXICITY: repeated or ystem.	11.       Toxicological Information         rointestinal irritation.       e eye.
Summary IF SWALL IF IN EYE IF ON SK IF INHALE CHRONIC nervous s Supportin	OWED: may cause gast S: may be irritating to th IN: no effect known. ED: no effect known. C TOXICITY: repeated or ystem. ng Data	11. Toxicological Information         rointestinal irritation.         e eye.         prolonged exposure to manganese sulphate could result in effects to the lungs and central
Summary IF SWALL IF IN EYE IF ON SK IF INHALE CHRONIC nervous s	OWED: may cause gast S: may be irritating to th IN: no effect known. ED: no effect known. C TOXICITY: repeated or ystem.	11.       Toxicological Information         rointestinal irritation.       e eye.
Summary IF SWALL IF IN EYE IF ON SK IF INHALE CHRONIC nervous s Supportin	OWED: may cause gast S: may be irritating to th IN: no effect known. ED: no effect known. C TOXICITY: repeated or ystem. ng Data	11. Toxicological Information         rointestinal irritation.         e eye.         prolonged exposure to manganese sulphate could result in effects to the lungs and central         Using LD <sub>50</sub> 's for ingredients, the calculated LD <sub>50</sub> (oral, rat) for the mixture is >5,000
Summary IF SWALL IF IN EYE IF ON SK IF INHALE CHRONIC nervous s Supportin	OWED: may cause gast S: may be irritating to th IN: no effect known. D: no effect known. TOXICITY: repeated or ystem. ng Data Oral Dermal	11. Toxicological Information         rointestinal irritation.         e eye.         prolonged exposure to manganese sulphate could result in effects to the lungs and central         Using LD <sub>50</sub> 's for ingredients, the calculated LD <sub>50</sub> (oral, rat) for the mixture is >5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat), Zinc sulphate 926mg/kg (mouse).         No evidence of dermal toxicity.
Summary IF SWALL IF IN EYE IF ON SK IF INHALE CHRONIC nervous s Supportin	OWED: may cause gast S: may be irritating to th IN: no effect known. D: no effect known. TOXICITY: repeated or ystem. ng Data Oral Dermal Inhaled	<ul> <li>11. Toxicological Information</li> <li>rointestinal irritation.</li> <li>e eye.</li> <li>prolonged exposure to manganese sulphate could result in effects to the lungs and central</li> <li>Using LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (oral, rat) for the mixture is &gt;5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat), Zinc sulphate 926mg/kg (mouse).</li> <li>No evidence of dermal toxicity.</li> </ul>
Summary IF SWALL IF IN EYE IF ON SK IF INHALE CHRONIC nervous s Supportin	COWED: may cause gast S: may be irritating to th IN: no effect known. D: no effect known. TOXICITY: repeated or ystem. ng Data Oral Dermal Inhaled Eye	11. Toxicological Information rointestinal irritation. e eye. prolonged exposure to manganese sulphate could result in effects to the lungs and central Using LD <sub>50</sub> 's for ingredients, the calculated LD <sub>50</sub> (oral, rat) for the mixture is >5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat), Zinc sulphate 926mg/kg (mouse). No evidence of dermal toxicity. No evidence of inhalation toxicity. The mixture is considered to be an eye irritant.
Summary IF SWALL IF IN EYE IF ON SK IF INHALE CHRONIC nervous s Supportin Acute	COWED: may cause gast S: may be irritating to th IN: no effect known. D: no effect known. TOXICITY: repeated or ystem. <b>ng Data</b> Oral Dermal Inhaled Eye Skin	<ul> <li>11. Toxicological Information</li> <li>rointestinal irritation.</li> <li>e eye.</li> <li>prolonged exposure to manganese sulphate could result in effects to the lungs and central</li> <li>Using LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (oral, rat) for the mixture is &gt;5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat), Zinc sulphate 926mg/kg (mouse).</li> <li>No evidence of dermal toxicity.</li> <li>No evidence of inhalation toxicity.</li> <li>The mixture is considered to be an eye irritant.</li> <li>The mixture is not considered to be a skin irritant.</li> </ul>
Summary IF SWALL IF IN EYE IF ON SK IF INHALE CHRONIC nervous s Supportin	OWED: may cause gast S: may be irritating to th IN: no effect known. D: no effect known. TOXICITY: repeated or ystem. <b>ng Data</b> Oral Dermal Inhaled Eye Skin Sensitisation	<ul> <li>11. Toxicological Information</li> <li>rointestinal irritation.</li> <li>e eye.</li> <li>prolonged exposure to manganese sulphate could result in effects to the lungs and central</li> <li>Using LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (oral, rat) for the mixture is &gt;5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat), Zinc sulphate 926mg/kg (mouse).</li> <li>No evidence of dermal toxicity.</li> <li>No evidence of inhalation toxicity.</li> <li>The mixture is considered to be an eye irritant.</li> <li>The mixture is not considered to be a skin irritant.</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a sensitizer.</li> </ul>
Summary IF SWALL IF IN EYE IF ON SK IF INHALE CHRONIC nervous s Supportin Acute	COWED: may cause gast S: may be irritating to th IN: no effect known. D: no effect known. TOXICITY: repeated or ystem. <b>ng Data</b> Oral Dermal Inhaled Eye Skin	<ul> <li>11. Toxicological Information</li> <li>rointestinal irritation.</li> <li>e eye.</li> <li>prolonged exposure to manganese sulphate could result in effects to the lungs and central</li> <li>Using LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (oral, rat) for the mixture is &gt;5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat), Zinc sulphate 926mg/kg (mouse).</li> <li>No evidence of dermal toxicity.</li> <li>No evidence of inhalation toxicity.</li> <li>The mixture is considered to be an eye irritant.</li> <li>The mixture is not considered to be a skin irritant.</li> </ul>
Summary IF SWALL IF IN EYE IF ON SK IF INHALE CHRONIC nervous s Supportin Acute	OWED: may cause gast S: may be irritating to th IN: no effect known. D: no effect known. TOXICITY: repeated or ystem. <b>ng Data</b> Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive /	<ul> <li>11. Toxicological Information</li> <li>vointestinal irritation.</li> <li>e eye.</li> <li>prolonged exposure to manganese sulphate could result in effects to the lungs and central</li> <li>Using LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (oral, rat) for the mixture is &gt;5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat), Zinc sulphate 926mg/kg (mouse).</li> <li>No evidence of dermal toxicity.</li> <li>No evidence of inhalation toxicity.</li> <li>The mixture is considered to be an eye irritant.</li> <li>The mixture is not considered to be a skin irritant.</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a mutagen.</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a carcinogen.</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a reproductive or</li> </ul>
Summary IF SWALL IF IN EYE IF ON SK IF INHALE CHRONIC nervous s Supportin Acute	OWED: may cause gast S: may be irritating to th IN: no effect known. D: no effect known. TOXICITY: repeated or ystem. <b>ng Data</b> Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive / Developmental	<ul> <li>11. Toxicological Information</li> <li>rointestinal irritation.</li> <li>e eye.</li> <li>prolonged exposure to manganese sulphate could result in effects to the lungs and central</li> <li>Using LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (oral, rat) for the mixture is &gt;5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat), Zinc sulphate 926mg/kg (mouse).</li> <li>No evidence of dermal toxicity.</li> <li>No evidence of inhalation toxicity.</li> <li>The mixture is considered to be an eye irritant.</li> <li>The mixture is not considered to be an eye irritant.</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a sensitizer.</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a mutagen.</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation.</li> </ul>
Summary IF SWALL IF IN EYE IF ON SK IF INHALE CHRONIC nervous s Supportin Acute	OWED: may cause gast S: may be irritating to th IN: no effect known. D: no effect known. TOXICITY: repeated or ystem. <b>ng Data</b> Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive /	<ul> <li>Toxicological Information</li> <li>rointestinal irritation.</li> <li>e eye.</li> <li>prolonged exposure to manganese sulphate could result in effects to the lungs and central</li> <li>Using LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (oral, rat) for the mixture is &gt;5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat), Zinc sulphate 926mg/kg (mouse).</li> <li>No evidence of dermal toxicity.</li> <li>No evidence of inhalation toxicity.</li> <li>The mixture is considered to be a neye irritant.</li> <li>The mixture is not considered to be a skin irritant.</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a mutagen.</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation.</li> <li>The mixture is considered to be a suspected target organ toxicant. Repeated or</li> </ul>
Summary IF SWALL IF IN EYE IF ON SK IF INHALE CHRONIC nervous s Supportin Acute	OWED: may cause gast S: may be irritating to th IN: no effect known. D: no effect known. TOXICITY: repeated or ystem. <b>ng Data</b> Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive / Developmental	<ul> <li>Toxicological Information</li> <li>rointestinal irritation.</li> <li>e eye.</li> <li>prolonged exposure to manganese sulphate could result in effects to the lungs and central</li> <li>Using LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (oral, rat) for the mixture is &gt;5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat), Zinc sulphate 926mg/kg (mouse).</li> <li>No evidence of dermal toxicity.</li> <li>No evidence of inhalation toxicity.</li> <li>The mixture is considered to be an eye irritant.</li> <li>The mixture is not considered to be a skin irritant.</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a sensitizer.</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation.</li> <li>The mixture is considered to be a suspected target organ toxicant. Repeated or prolonged exposure to manganese sulphate could result in effects to the lungs and</li> </ul>
Summary IF SWALL IF IN EYE IF ON SK IF INHALE CHRONIC nervous s Supportin Acute	OWED: may cause gast S: may be irritating to th IN: no effect known. D: no effect known. TOXICITY: repeated or ystem. <b>ng Data</b> Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive / Developmental	<ul> <li>Toxicological Information</li> <li>rointestinal irritation.</li> <li>e eye.</li> <li>prolonged exposure to manganese sulphate could result in effects to the lungs and central</li> <li>Using LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (oral, rat) for the mixture is &gt;5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat), Zinc sulphate 926mg/kg (mouse).</li> <li>No evidence of dermal toxicity.</li> <li>No evidence of inhalation toxicity.</li> <li>The mixture is considered to be a neye irritant.</li> <li>The mixture is not considered to be a skin irritant.</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a mutagen.</li> <li>No ingredient present at concentrations &gt; 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation.</li> <li>The mixture is considered to be a suspected target organ toxicant. Repeated or</li> </ul>

Aggravation of existing conditions

12. Ecological Data

Summary			
This mixture may be	e harmful towa	ards aquatic organisms	
Supporting Data			
Aquatic Bioaccumulation Degradability Soil Terrestrial vertebra Terrestrial inverteb Biocidal		Using EC <sub>50</sub> 's for ingredients, the calculated EC mg/L. Data considered includes: Nonviable fer 98.77ug/L (96hr, Oncorhynchus mykiss), 0.09 0.02469mg/L (5d, Ditylum brightwellii Diatom). No data No data No evidence of soil toxicity. See acute toxicity. Ni evidence of toxicity towards terrestrial inver no data	rmentation products no data, Zinc sulphate 877mg/L (48hr, Daphnia hyalina),
		13. Disposal Considerations	
Restrictions		There are no product-specific restrictions, how	
Disposal method	kaging	state disposal conditions may apply, including In New Zealand disposal of this product must (Disposal) Notice 2017 and the requirements of approval should be sought from the Regional In Australia disposal of this product must comp disposal regulations. The substance must be treated and therefore to the environment. Disposal of contaminated packaging must con (Disposal) Notice 2017 clause 12. Ensure that containing any substance and is disposed in a requirements of the substance it contained and reuse or recycle packaging.	comply with the Hazardous Substances of the Resource Management Act for which Authority. bly with the requirements of state and local rendered non-hazardous before discharge nply with the Hazardous Substances the package is rendered incapable of manner that is consistent with the
		14. Transport Information	
		s Goods 2005 - NZS 5433:2007 or this product (not a dangerous good). Proper shipping name: Packing group: Hazchem code:	NA NA NA
UN number: Class(es) Precautions:	NA NA NA	Proper shipping name: Packing group: EmS	Not regulated NA NA
ΙΑΤΑ			
UN number: Class(es) Precautions:	NA NA NA	Proper shipping name: Packing group: ERG Guide	Not regulated NA NA

### Regulatory Information

### NZ regulations

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002521, Animal Nutritional and Animal Care Products Group Standard 2020. All ingredients appear on the NZIoC.

15.

### **Specific Controls**

Key workplace requirements are:	
SDS	To be available within 10 minutes in workplaces storing any quantity.
Inventory	An inventory of all hazardous substances must be prepared and maintained.
Packaging	All hazardous substances should be appropriately packaged including substances that have been decanted, transferred or manufactured for own use or have been supplied
Labelling	Must comply with the Hazardous Substances (Labelling) Notice 2017.
Emergency plan	Required if > 10000L is stored.
Certified handler	Not required.
Tracking	Not required.
Bunding & secondary containment	Required if > 10000L is stored.
Signage	Required if > 10000L is stored.
Location compliance certificate	Not required.
Flammable zone	Not required.
Fire extinguisher	Not required.
NUMBER THAT AND A DEPENDENT OF A DEP	and the state of the

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

### Australian regulations

Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP)	Not scheduled
Applicable prohibitions and notifications/licensing requirements	Not listed
Agricultural and Veterinary Chemicals Act	Not listed
Listing in the Australian Inventory of Chemical Substances (AICS)	Magnesium sulfate, heptahydrate - IMAP - Tier I - Human Health Manganous sulfate, monohydrate - IMAP - Tier II - Human Health
Additional information	Not applicable

### 16. Other Information

Δh	brevia	enoiti

Approval Code AICS CAS Number EC <sub>50</sub> ES EPA GHS HAZCHEM Code HSNO IARC LEL/UEL LD <sub>50</sub> LC <sub>50</sub> MSDS (SDS) NICNAS NZIOC STEL TWA UN Number WES	Approval HSR002521, Animal Nutritional and Animal Care Products Group Standard 2020 Controls, EPA. www.epa.govt.nz Australian Inventory of Chemical Substances Unique Chemical Abstracts Service Registry Number Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test population (e.g. daphnia, fish species) Exposure Standard - The airborne concentration of a biological or chemical agent to which a worker may be exposed in a work day. Environmental Protection Authority (New Zealand) Globally Harmonised System of Classification and Labelling of Chemicals Emergency action code of numbers and letters that provide information to emergency services, especially fire fighters Hazardous Substances and New Organisms (Act and Regulations) International Agency for Research on Cancer Lower Explosive Limit/ Upper Explosive Limit Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats). Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population (usually rats) Material Safety Data Sheet (or Safety Data Sheet) National Industrial Chemicals Notification and Assessment Scheme New Zealand Inventory of Chemicals Short Term Exposure Limit - The maximum airborne concentration of a chemical or biological agent to which a worker may be exposed in any 15 minute period, provided the TWA is not exceeded Time Weighted Average – generally referred to WES averaged over typical work day (usually 8 hours) United Nations Number Workplace Exposure Standard - The airborne concentration of a biological or chemical agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring using procedures that gather air samples in the worker's breathing zone.
References	
Data Controls WES ES Other References:	Unless otherwise stated comes from the EPA HSNO chemical classification information database (CCID). EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances) Regulations 2017, www.legislation.govt.nz The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available on their web site – www.worksafe.govt.nz. Workplace Exposure standards for airborne contaminants – Safework Australia. Suppliers SDS, EU ECHA, ingredients SDS's, ChemIDplus
Review	
Date June 2019 July 2023 May 2024	Reason for review Not applicable – new SDS HSNO to GHS 7, new address, logo New address

### Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS 7 classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 21 1040951.

