

## Identification of Substance & Company

### **Product**

Product name Organic Foliacin no other names

Product codes NA

HSNO approval HSR002571

Approval description Fertilisers (Subsidiary Hazard) Group Standard 2020

UN number NA
DG class NA
Proper Shipping Name NA
Packaging group NA
Hazchem code NA

Uses Plant elicitor used to spray foliage of grapes, kiwifruit, pip and stone fruit,

vegetables and ornamentals.

**Company Details** 

Company Biostart LTD Biostart Brands PTY Ltd

Address 17 Reta Crescent L1/109 Jessie St Kerepehi Armidale

 3671
 NSW 2350

 New Zealand
 Australia

 0800 116 229
 1800 359 555

 biostart.con.z
 biostart.com.au

New Zealand Emergency Telephone Number: 0800 764 766
Australian Emergency Number: 13 11 26

## 2. Hazard Identification

## **Approval**

Telephone

Website

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002571, Fertilisers (Subsidiary Hazard) Group Standard 2020). The substance has been classified as hazardous according to the criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

GHS 7 Classes Hazard Statements

Eye irritation category 2 H320 - Causes eye irritation.

STOT RE category 2 H373 - May cause damage to organs through prolonged or repeated exposure.

## **SYMBOLS**

## **WARNING**



## **Australian GHS Classification**

Eye irritation category 2 H320 - Causes eye irritation.

STOT RE category 2 H373 - May cause damage to organs through prolonged or repeated exposure.

## **Precautionary Statements**

**Prevention** P103 - Read label before use.

P260 - Do not breathe vapours.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection.



Response P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P314 - Get medical advice/attention if you feel unwell.

Storage No storage statements

Disposal P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

## **Composition / Information on Ingredients**

Component	CAS/ Identification	Conc (%)
Nonviable fermentation products	proprietary	>50%
Manganese sulphate monohydrate	7785-87-7	1-10%
Zinc sulphate	7733-02-0	1-10%
Ingredients not contributing to HSNO classes	Mixture	balance

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

#### First Aid 4

### **General Information**

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr).

Recommended first aid

Ready access to running water is required. Accessible eyewash is required.

facilities

**Exposure** 

Swallowed Do NOT induce vomiting. Give a glass of water to drink. Contact a doctor. Eye contact

If product gets in eyes, wash material from them with running water for several minutes.

If symptoms persist, seek medical advice.

Skin contact This product is non-irritating to skin. No further measures should be required. Inhaled

Generally, inhalation of vapours is unlikely to result in adverse health effects. If coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for

transport and contact a doctor.

## **Advice to Doctor**

Treat symptomatically

## Firefighting Measures

Fire and explosion hazards: Suitable extinguishing

substances:

Unsuitable extinguishing

substances:

Products of combustion:

There are no specific risks for fire/explosion for this chemical. It is non-flammable. Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or

alcohol resistant foam.

Unknown.

Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water.

May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying

spaces, forming potentially explosive mixtures.

**Protective equipment:** Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat

and eye protection.

Hazchem code: NA

## Accidental Release Measures

Containment If greater than 10000L is stored, secondary containment and emergency plans to

manage any potential spills must be in place. In all cases design storage to prevent

discharge to storm water.

**Emergency procedures** In the event of spillage alert the fire brigade to location and give brief description of

hazard.

Stop the source of the leak, if safe to do so. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Prevent by whatever means possible any spillage from entering drains, sewers, or water courses. (If this occurs contact your regional council

immediately).

Clean-up method Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled

containers or drums for disposal. If contamination of crops, sewers or waterways has

occurred advise local emergency services.

Page 2 of 7 May 2024

Product Name: Organic Foliacin



Disposal Mop up and collect recoverable material into labelled containers for recycling or salvage.

Recycle containers wherever possible. This material may be suitable for approved

landfill. Dispose of only in accord with all regulations.

Precautions Wear protective equipment to prevent skin and eye contamination and the inhalation of

vapours. Work up wind or increase ventilation.

7. Storage & Handling

**Storage** Avoid storage of harmful substances with food. Store out of reach of children.

Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in

Section 10.

**Handling** Keep exposure to a minimum, and minimise the quantities kept in work areas. See

section 8 with regard to personal protective equipment requirements.

8. Exposure Controls / Personal Protective Equipment

**Workplace Exposure Standards** 

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace Ingredient WES-TWA WES-STEL

Exposure Stds Zinc compounds Zinc dust: 10mg/m³ -

Zinc oxide: 2mg/m<sup>3</sup> Zinc oxide: 0.1mg/m<sup>3</sup> (respirable)

Manganese sulphate monohydrate

0.2mg/m³ (respirable)

-

0.02mg/m<sup>3</sup> (respirable)

**Exposure Standards - Australia** 

Australian Zinc compounds Zinc oxide dust: 10mg/m³

Exposure Manganese sulphate monohydrate 1mg/m³ -

Standards

**Engineering Controls** 

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

**Personal Protective Equipment** 

General

Personal Protective Equipment (PPE) should not be used as the primary means of exposure protection, except in the event of an accident or emergency situation or where all other means of protection have proven to inadequate. Clean PPE after use or dispose of as appropriate. Store PPE for re-use in a clean place. Regular training on the correct use of PPE should be provided. In particular the correct fitting and use of respirators and where applicable the cleaning of respirators should be undertaken.

Eyes



Avoid contact with eyes. Use safety glasses and or chemical splash goggles if splashes are possible. Select eye protection in accordance with AS/NZS 1337.

Skin

Respiratory

Protective gloves and clothing are not normally necessary. However, it is prudent to wear gloves when handling chemicals in bulk or for an extended period of time. Respirator is not required under normal use. Ensure adequate natural ventilation. If product is being used in confined conditions, the use of a mask or respirator may be preferred.

**WES Additional Information** 

Not applicable





## **Physical & Chemical Properties**

**Appearance** light brown liquid Odour not specified **Odour Threshold** no data 3.8-4.1 На

Freezing/melting point liquid at room temperature **Boiling Point** as for water (100°C)

**Flashpoint** no data **Flammability** no data Upper & lower flammable limits no data Vapour pressure no data Vapour density no data Specific gravity/density 1.1 - 1.2

Solubility completely soluble in water

Partition coefficient no data Auto-ignition temperature no data **Decomposition temperature** no data **Viscosity** no data **Particle Characteristics** no data

#### Stability & Reactivity 10.

Stability Stable

Conditions to be avoided Containers should be kept closed in order to avoid contamination. Keep from extreme

heat and open flames.

Strong acids and bases, oxidisers. Incompatible groups

**Substance Specific** none known

Incompatibility

Hazardous decomposition

products

Oxides of carbon, sulphur

Hazardous reactions none known

## **Toxicological Information**

## Summary

IF SWALLOWED: may cause gastrointestinal irritation.

IF IN EYES: may be irritating to the eye.

IF ON SKIN: no effect known. IF INHALED: no effect known.

**Dermal** 

CHRONIC TOXICITY: repeated or prolonged exposure to manganese sulphate could result in effects to the lungs and central

nervous system.

## **Supporting Data**

Using LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (oral, rat) for the mixture is >5,000 Acute Oral

mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat),

Zinc sulphate 926mg/kg (mouse). No evidence of dermal toxicity.

Inhaled No evidence of inhalation toxicity. The mixture is considered to be an eye irritant. Eye Skin The mixture is not considered to be a skin irritant.

Chronic Sensitisation No ingredient present at concentrations > 0.1% is considered a sensitizer.

No ingredient present at concentrations > 0.1% is considered a mutagen. Mutagenicity Carcinogenicity No ingredient present at concentrations > 0.1% is considered a carcinogen. Reproductive / No ingredient present at concentrations > 0.1% is considered a reproductive or

Developmental developmental toxicant or have any effects on or via lactation.

The mixture is considered to be a suspected target organ toxicant. Repeated or Systemic prolonged exposure to manganese sulphate could result in effects to the lungs and

central nervous system.

None known.

Aggravation of

existing conditions



12. Ecological Data

Summary

This mixture may be harmful towards aquatic organisms

**Supporting Data** 

Disposal method

**Aquatic** Using EC<sub>50</sub>'s for ingredients, the calculated EC<sub>50</sub> for the mixture is between 1 and 100

mg/L. Data considered includes: Nonviable fermentation products no data, Zinc sulphate

98.77ug/L (96hr, Oncorhynchus mykiss), 0.09877mg/L (48hr, Daphnia hyalina),

0.02469mg/L (5d, Ditylum brightwellii Diatom).

**Bioaccumulation** No data **Degradability** No data

**Soil** No evidence of soil toxicity.

Terrestrial vertebrate See acute toxicity.

**Terrestrial invertebrate** No evidence of toxicity towards terrestrial invertebrates.

**Biocidal** no data

Environmental Exposure limits Zinc freshwater 0.008 mg/l Zinc marine 0.015 mg/l

13. Disposal Considerations

**Restrictions**There are no product-specific restrictions, however, local council, resource consent and

state disposal conditions may apply, including requirements of trade waste consents. In New Zealand disposal of this product must comply with the Hazardous Substances (Disposal) Notice 2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated

and therefore rendered non-hazardous before discharge to the environment.

NOTE: This substance contains Zinc salts.

If discharging to the environment by discharging the substance into the environment ensure that the concentration of the substance in an environmental medium, after reasonable mixing, does not exceed any environmental exposure limit set for the substance in accordance with the Hazardous Substances (Classes 6, 8, and 9 Controls)

Regulations 2001. See section 12.

In Australia disposal of this product must comply with the requirements of state and local

disposal regulations.

**Contaminated packaging** Disposal of contaminated packaging must comply with the Hazardous Substances

(Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible

reuse or recycle packaging.

14. Transport Information

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

There are no specific restrictions for this product (not a dangerous good).

UN number:NAProper shipping name:NAClass(es)NAPacking group:NAPrecautions:NAHazchem code:NA

**IMDG** 

UN number: NA Proper shipping name: Not regulated

Class(es)NAPacking group:NAPrecautions:NAEmSNA

IATA

UN number: NA Proper shipping name: Not regulated

Class(es)NAPacking group:NAPrecautions:NAERG GuideNA



## **Regulatory Information**

## NZ regulations

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002571, Fertilisers (Subsidiary Hazard) Group Standard 2020. All ingredients appear on the NZIoC.

## **Specific Controls**

Key workplace requirements are:

SDS To be available within 10 minutes in workplaces storing any quantity. Inventory An inventory of all hazardous substances must be prepared and maintained.

Packaging All hazardous substances should be appropriately packaged including substances that have been decanted, transferred or manufactured for own

use or have been supplied

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2017.

Emergency plan Required if > 10000L is stored.

Certified handler Not required. Tracking Not required.

Bunding & secondary containment Required if > 10000L is stored. Signage Required if > 10000L is stored.

Location compliance certificate Not required. Flammable zone Not required. Fire extinguisher Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

## Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

### Australian regulations

Standard for the Uniform Scheduling Not scheduled

of Drugs and Poisons (SUSDP) Applicable prohibitions and Not listed

notifications/licensing requirements **Agricultural and Veterinary** 

**Chemicals Act** 

Listing in the Australian Inventory of

**Chemical Substances (AICS) Additional information** 

Not listed

Manganous sulfate, monohydrate - IMAP - Tier II - Human Health

Zinc sulphate - listed Not applicable

#### 16. Other Information

## **Abbreviations**

Approval HSR002571, Fertilisers (Subsidiary Hazard) Group Standard 2020 Controls, **Approval Code** 

EPA. www.epa.govt.nz

Australian Inventory of Chemical Substances **AICS CAS Number** Unique Chemical Abstracts Service Registry Number

EC<sub>50</sub> Ecotoxic Concentration 50% - concentration in water which is fatal to 50% of a test

population (e.g. daphnia, fish species)

Environmental Protection Authority (New Zealand) **EPA** 

Globally Harmonised System of Classification and Labelling of Chemicals, 7th revised **GHS** 

edition, 2017, published by the United Nations.

**HAZCHEM Code** Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

**HSNO** Hazardous Substances and New Organisms (Act and Regulations)

**IARC** International Agency for Research on Cancer

LEL Lower Explosive Limit

 $LD_{50}$ Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

LC<sub>50</sub> Lethal Concentration 50% - concentration in air which is fatal to 50% of a test population

Page 6 of 7 May 2024

Product Name: Organic Foliacin



(usually rats)

NZIoC New Zealand Inventory of Chemicals

STEL Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

**STOT RE**System Target Organ Toxicity – Repeated Exposure
STOT SE
System Target Organ Toxicity – Single Exposure

TWA Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours)

UELUpper Explosive LimitUN NumberUnited Nations Number

WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

using procedures that gather air samples in the worker's breathing zone.

References

Data

Unless otherwise stated comes from the EPA HSNO chemical classification information

database (CCID).

Controls EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances)

Regulations 2017, www.legislation.govt.nz

WES The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available

on their web site - www.worksafe.govt.nz.

ES Workplace Exposure standards for airborne contaminants – Safework Australia.

Other References: Suppliers SDS, EU ECHA, ingredients SDS's, ChemIDplus

Review

DateReason for reviewOctober 2020Not applicable – new SDS

July 2023 HSNO to GHS 7, new address, logo

May 2024 New address

## Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS 7 classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 21 1040951.

