1. Identification of Substance & Company

Product		
Product name Other names Product codes HSNO approval UN number DG class Proper Shipping Name Packaging group Hazchem code Uses	Terracin no other names NA HSR100362 NA NA NA NA NA Soil Biofungicide for controllin	ng Armillaria spp in kiwifruit orchards
Company Details		
Company Address Telephone	Biostart LTD 17 Reta Crescent Kerepehi 3671 New Zealand 0800 116 229	Biostart Brands PTY Ltd L1/109 Jessie St Armidale NSW 2350 Australia 1800 359 555
Website	biostart.co.nz	biostart.com.au
	ergency Telephone Nu	
Australia	an Emergency Numbe	
Australia	2. Hazard Identification	
Australia	• •	
	2. Hazard Identification der the Hazardous Substances and d) Group Standard 2020): The subst	n New Organisms Act (HSNO, Approval ance has been classified as hazardous
Approval This product is an approved substance und HSR100362, Fertilisers (Subsidiary Hazard according to the criteria in the Hazardous s	2. Hazard Identification der the Hazardous Substances and d) Group Standard 2020): The subst	n New Organisms Act (HSNO, Approval ance has been classified as hazardous
ApprovalThis product is an approved substance und HSR100362, Fertilisers (Subsidiary Hazard according to the criteria in the Hazardous sGHS 7 ClassesHazaEye irritation cat. 2H320	2. Hazard Identification der the Hazardous Substances and d) Group Standard 2020): The subst substances (Hazard Classification) N rd Statements 0 - Causes eye irritation.	n New Organisms Act (HSNO, Approval ance has been classified as hazardous
ApprovalThis product is an approved substance und HSR100362, Fertilisers (Subsidiary Hazard according to the criteria in the Hazardous sGHS 7 ClassesHazaEye irritation cat. 2H320STOT RE cat 2H373	2. Hazard Identification der the Hazardous Substances and d) Group Standard 2020): The subst substances (Hazard Classification) N rd Statements 0 - Causes eye irritation.	n New Organisms Act (HSNO, Approval ance has been classified as hazardous Notice 2020.
ApprovalThis product is an approved substance und HSR100362, Fertilisers (Subsidiary Hazard according to the criteria in the Hazardous stGHS 7 ClassesHazaEye irritation cat. 2H320STOT RE cat 2H373SYMBOLSH320	2. Hazard Identification der the Hazardous Substances and d) Group Standard 2020): The subst substances (Hazard Classification) N rd Statements 0 - Causes eye irritation.	n New Organisms Act (HSNO, Approval ance has been classified as hazardous Notice 2020.

Australian GHS Classification

Australian GH5 C	assincation
Eye irritation cat. 2 STOT RE cat 2	H320 - Causes eye irritation. H373 - May cause damage to organs through prolonged or repeated exposure.
Precautionary Sta	tements
Prevention	<ul> <li>P103 - Read label before use.</li> <li>P260 - Do not breathe vapours.</li> <li>P264 - Wash hands thoroughly after handling.</li> <li>P270 - Do not eat, drink or smoke when using this product.</li> <li>P273 - Avoid release to the environment.</li> <li>P280 - Wear protective gloves/eye protection.</li> </ul>
Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P314 - Get medical advice/attention if you feel unwell.
Storage	No storage statements
Disposal	P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.
Page 1 of 7 May 2024	Product Name: Terracin

Component	CAS/ Identification	Conc (%)
Nonviable fermentation products	proprietary	>50%
Manganese sulphate monohydrate	7785-87-7	1-10%
Zinc sulphate	7733-02-0	1-10%
Ingredients not contributing to HSNO classes	Mixture	balance

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

Δ

First	Aid

#### **General Information**

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service). **Recommended first aid** Ready access to running water is required. Accessible eyewash is required. facilities **Exposure** Swallowed Do NOT induce vomiting. Give a glass of water to drink. Contact a doctor. Eye contact If product gets in eyes, wash material from them with running water for several minutes. If symptoms persist, seek medical advice. Skin contact This product is non-irritating to skin. No further measures should be required. Generally, inhalation of vapours is unlikely to result in adverse health effects. If Inhaled coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for transport and contact a doctor. Advice to Doctor Treat symptomatically 5. Firefighting Measures Fire and explosion hazards: There are no specific risks for fire/explosion for this chemical. It is non-flammable. Suitable extinguishing Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or substances: alcohol resistant foam. Unsuitable extinguishing Unknown. substances: Products of combustion: Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures. **Protective equipment:** Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat and eye protection. Hazchem code: NA **Accidental Release Measures** 6. Containment If greater than 10000L is stored, secondary containment and emergency plans to manage any potential spills must be in place. In all cases design storage to prevent discharge to storm water. In the event of spillage alert the fire brigade to location and give brief description of Emergency procedures hazard. Stop the source of the leak, if safe to do so. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Prevent by whatever means possible any spillage from entering drains, sewers, or water courses. (If this occurs contact your regional council immediately). **Clean-up method** Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services. Disposal Mop up and collect recoverable material into labelled containers for recycling or salvage. Recycle containers wherever possible. This material may be suitable for approved landfill. Dispose of only in accord with all regulations. Precautions Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation.

		7. Storage & Handling
Storage		Avoid storage of harmful substances with food. Store out of reach of children. Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in Section 10.
Handling		Keep exposure to a minimum, and minimise the quantities kept in work areas. See section 8 with regard to personal protective equipment requirements.
	8.	Exposure Controls / Personal Protective Equipment

### Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m<sup>3</sup> for respirable particulates and 10mg/m<sup>3</sup> for inhalable particulates when limits have not otherwise been established.

NZ Workplace	Ingredient Zinc compounds:	WES-TWA*	WES-STEL
Exposure Stds	Zinc dust Zinc oxide	10mg/m <sup>3</sup> 2mg/m <sup>3</sup>	- 5mg/m <sup>3</sup>
	Zinc oxide (respirable)	0.1mg/m <sup>3</sup>	0.5mg/m <sup>3</sup>
	Manganese fume, dust and compounds, as Mn	1mg/m <sup>3</sup>	-
<b>Exposure Standards</b>	- Australia		
Australian Exposure Standards	Zinc compounds: Zinc oxide (dust) Zinc oxide (fume) Manganese, dust and compounds, as Mn	10mg/m <sup>3</sup> 5mg/m <sup>3</sup> 1mg/m <sup>3</sup>	- 10mg/m <sup>3</sup> -

## **Engineering Controls**

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

### **Personal Protective Equipment**

Eyes	Avoid contact with eyes. Use safety glasses and or chemical splash goggles if splashes are possible. Select eye protection in accordance with AS/NZS 1337.
Skin	Protective gloves and clothing are not normally necessary. However, it is prudent to wear gloves when handling chemicals in bulk or for an extended period of time.
Respiratory	Respirator is not required under normal use. Ensure adequate natural ventilation. If product is being used in confined conditions, the use of a mask or respirator may be preferred.
WES Additional Information	

Not applicable

	9. Physical & Chemical Properties
Appearance Odour Odour threshold pH Freezing / melting point Boiling point Flash point Flammability Upper & lower flammable limits Vapour pressure Vapour density Specific gravity / density Solubility Partition Coefficient: Auto-ignition temperature Decomposition temperature Viscosity Particle characteristics	light brown liquid not specified no data 3.8-4.1 liquid at room temperature as for water (100°C) no data no data no data no data 1.06-1.08 completely soluble in water no data no data no data no data no data
	10. Stability & Reactivity
Stability Conditions to be avoided Incompatible groups Substance Specific Incompatibility Hazardous decomposition products Hazardous reactions	Stable         Containers should be kept closed in order to avoid contamination. Keep from extreme heat and open flames.         Strong acids and bases, oxidisers.         none known         Oxides of carbon, sulphur         none known         11.         Toxicological Information
Summary	
IF SWALLOWED: may cause gastr IF IN EYES: may be irritating to the	

IF ON SKIN: no effect known.

IF INHALED: no effect known.

CHRONIC TOXICITY: repeated or prolonged exposure to manganese sulphate could result in effects to the lungs and central nervous system.

## **Supporting Data**

Acute	Oral	Using $LD_{50}$ 's for ingredients, the calculated $LD_{50}$ (oral, rat) for the mixture is >5,000 mg/kg. Data considered includes: Manganese sulphate monohydrate 782mg/kg (rat), Zinc sulphate 926mg/kg (mouse).
	Dermal	No evidence of dermal toxicity.
	Inhaled	No evidence of inhalation toxicity.
	Eye	The mixture is considered to be an eye irritant.
	Skin	The mixture is not considered to be a skin irritant.
Chronic	Sensitisation	No ingredient present at concentrations > 0.1% is considered a sensitizer.
	Mutagenicity	No ingredient present at concentrations > 0.1% is considered a mutagen.
	Carcinogenicity	No ingredient present at concentrations > 0.1% is considered a carcinogen.
	Reproductive /	No ingredient present at concentrations > 0.1% is considered a reproductive or
	Developmental	developmental toxicant or have any effects on or via lactation.
	Systemic	The mixture is considered to be a suspected target organ toxicant. Repeated or prolonged exposure to manganese sulphate could result in effects to the lungs and central nervous system.
	Aggravation of existing conditions	None known.

12. Ecological Data

This mixture may be harmful towards aquatic organisms

**Supporting Data** 

Aquatic Bioaccumulation Degradability Soil Terrestrial vertebrate Terrestrial invertebrate Biocidal	Using EC <sub>50</sub> 's for ingredients, the calculated EC <sub>50</sub> for the mixture is between 1 and 100 mg/L. Data considered includes: Nonviable fermentation products no data, Zinc sulphate 98.77ug/L (96hr, Oncorhynchus mykiss), 0.09877mg/L (48hr, Daphnia hyalina), 0.02469mg/L (5d, Ditylum brightwellii Diatom). No data No data No evidence of soil toxicity. See acute toxicity. No evidence of toxicity towards terrestrial invertebrates. no data
	13. Disposal Considerations
Restrictions Disposal method Contaminated packaging	There are no product-specific restrictions, however, local council, resource consent and state disposal conditions may apply, including requirements of trade waste consents. In New Zealand disposal of this product must comply with the Hazardous Substances (Disposal) Notice 2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. In Australia disposal of this product must comply with the requirements of state and local disposal regulations. The substance must be treated and therefore rendered non-hazardous before discharge to the environment. Disposal of contaminated packaging must comply with the Hazardous Substances (Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the
	requirements of the substance it contained and the material of the package. If possible reuse or recycle packaging.

## 14. Transport Information

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

There are no specific restrictions for this product (not a dangerous good).

UN number:	NA	Proper shipping name:	NA
Class(es)	NA	Packing group:	NA
Precautions:	NA	Hazchem code:	NA
IMDG			
UN number:	NA	Proper shipping name:	NA
Class(es)	NA	Packing group:	NA
Precautions:	NA	Hazchem code:	NA
ΙΑΤΑ			
UN number:	NA	Proper shipping name:	NA
Class(es)	NA	Packing group:	NA
Precautions:	NA	Hazchem code:	NA

## Regulatory Information

### NZ regulations

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR100362. All ingredients appear on the NZIoC.

15.

### **Specific Controls**

Key workplace requirements are:		
SDS	To be available within 10 minutes in workplaces storing any quantity.	
Inventory	An inventory of all hazardous substances must be prepared and maintained.	
Packaging	All hazardous substances should be appropriately packaged including substances that have been decanted, transferred or manufactured for own use or have been supplied	
Labelling	Must comply with the Hazardous Substances (Labelling) Notice 2017.	
Emergency plan	Required if > 10000L is stored.	
Certified handler	Not required.	
Tracking	Not required.	
Bunding & secondary containment	Required if > 10000L is stored.	
Signage	Required if > 10000L is stored.	
Location compliance certificate	Not required.	
Flammable zone	Not required.	
Fire extinguisher	Not required.	
Note: The second devices the second of the first second second second second second second second for a second s		

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

### Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

### Australian regulations

Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) Applicable prohibitions and notifications/licensing requirements	Not scheduled Not listed
Agricultural and Veterinary Chemicals Act	Not listed
Listing in the Australian Inventory of Chemical Substances (AICS)	Magnesium sulfate, heptahydrate - IMAP - Tier I - Human Health Manganous sulfate, monohydrate - IMAP - Tier II - Human Health Zinc sulphate - listed
Additional information	Not applicable

### 16. Other Information

#### **Abbreviations**

Approval Code	Approval HSR100362, Controls, EPA. www.epa.govt.nz
AICS	Australian Inventory of Chemical Substances
CAS Number	Unique Chemical Abstracts Service Registry Number
Ceiling	Ceiling Exposure Value: The maximum airborne concentration of a biological or chemical agent to which a worker may be exposed at any time.
Controls Matrix	List of default controls linking regulation numbers to Matrix code (e.g. T1, I16).
<b>EC</b> <sub>50</sub>	Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test population (e.g. daphnia, fish species)
ES	Exposure Standard - The airborne concentration of a biological or chemical agent to which a worker may be exposed in a work day.
EPA	Environmental Protection Authority (New Zealand)
Page 6 of 7	



GHS HAZCHEM Code HSNO IARC LEL/UEL LD <sub>50</sub> LC <sub>50</sub> MSDS (SDS) NICNAS NZIOC STEL STOT RE STOT SE TWA UN Number WES	Globally Harmonised System of Classification and Labelling of Chemicals Emergency action code of numbers and letters that provide information to emergency services, especially fire fighters Hazardous Substances and New Organisms (Act and Regulations) International Agency for Research on Cancer Lower Explosive Limit/ Upper Explosive Limit Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats). Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population (usually rats) Material Safety Data Sheet (or Safety Data Sheet) National Industrial Chemicals Notification and Assessment Scheme New Zealand Inventory of Chemicals Short Term Exposure Limit - The maximum airborne concentration of a chemical or biological agent to which a worker may be exposed in any 15 minute period, provided the TWA is not exceeded System Target Organ Toxicity – Repeated Exposure Time Weighted Average – generally referred to WES averaged over typical work day (usually 8 hours) United Nations Number Workplace Exposure Standard - The airborne concentration of a biological or chemical agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring using procedures that gather air samples in the worker's breathing zone.
References	
Data Controls WES ES Other References:	Unless otherwise stated comes from the EPA HSNO chemical classification information database (CCID). EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances) Regulations 2017, www.legislation.govt.nz The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available on their web site – www.worksafe.govt.nz. Workplace Exposure standards for airborne contaminants – Safework Australia. Suppliers SDS, EU ECHA, ingredients SDS's, ChemIDplus
Review	
Date June 2019 December 2019 October 2021 April 2023 May 2024 Disclaimer	Reason for review Not applicable – new SDS Group Standard Update of approval and NZ classification. New logo and address New address
Distrailler	

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS 7 classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 21 1040951.

